

LB

3423


A2U5

UC-NRLF



QB 67 851

YG 57735



U. S. DEPARTMENT OF LABOR

JAMES J. DAVIS, Secretary

CHILDREN'S BUREAU

JULIA C. LATHROP, Chief

# AVERAGE HEIGHTS AND WEIGHTS OF CHILDREN UNDER SIX YEARS OF AGE

COMMUNITY CHILD-WELFARE SERIES No. 2

Bureau Publication No. 84



WASHINGTON  
GOVERNMENT PRINTING OFFICE

1921



70. 1911  
ANNUAL

## AVERAGE HEIGHTS AND WEIGHTS OF CHILDREN UNDER SIX YEARS OF AGE.

During Children's Year, the second year of the participation of the United States in the World War, the Children's Bureau conducted a series of campaigns designed to focus public attention upon the welfare of children. Among these campaigns was the "weighing and measuring test." During the period devoted to this test great numbers of children—for the most part under 6 years of age—in all parts of the United States, were weighed and measured. Record blanks were furnished by the bureau, and when the children were brought for examination entries were made of height, weight, age, sex, and race, besides particulars of country of birth of father and mother, and physical condition of the child.

As a result of this campaign the bureau received over 2,000,000 records, and was thus in possession of a larger mass of anthropometric material relating to children of these ages than was ever before available. Consultations were held with anthropologists, statisticians, and pediatricists, and plans of tabulation were prepared in accordance with recommendations made by the authorities consulted.

A careful selection was made of approximately one-twelfth of the cards which had been received. The basis of selection was fourfold: (1) The record card must have been signed by a physician; (2) no serious defects should have been noted; (3) the child must have been weighed and measured without clothing, as verified by the physician signing the card; and (4) all essential items must have been answered.

On the basis of these selected records, tables have been made showing average weights and heights for children of different ages and average weights for children of different heights. They are based upon measurements of 167,024 white children.

The children included in the tabulation were 70 per cent of native parentage; 6 per cent with one parent native and one foreign born; 4 per cent of British and Irish parentage; and the remainder of Scandinavian, Italian, and other racial stocks. They represent children from every part of the country. The averages for white children of native parentage agree very closely with these averages for all white children.

Table 1 shows average heights and weights of boys and girls from birth to 72 months of age, and Table 2 shows average weights of boys and girls for different heights from 20 to 47 inches.

These averages represent, so far as the original material permits, averages based upon children without defects or diseases.

TABLE 1.—*Height and weight of white children from birth to 6 years of age.*<sup>1</sup>

Age.	White boys.		White girls.	
	Height (inches).	Weight (pounds). <sup>2</sup>	Height (inches).	Weight (pounds). <sup>2</sup>
Under 1 month.....	21½	9½	20½	8½
1 month, under 2.....	22½	10½	21½	10½
2 months, under 3.....	23½	12½	23½	11½
3 months, under 4.....	24½	14½	24½	13½
4 months, under 5.....	25½	15½	24½	14½
5 months, under 6.....	26½	16½	25½	15½
6 months, under 7.....	26½	17½	26½	16½
7 months, under 8.....	27½	18½	26½	17½
8 months, under 9.....	27½	19½	27½	17½
9 months, under 10.....	28½	19½	27½	18½
10 months, under 11.....	28½	20½	28½	19½
11 months, under 12.....	29½	20½	28½	19½
12 months, under 13.....	29½	21½	28½	20½
13 months, under 14.....	29½	21½	29½	20½
14 months, under 15.....	30½	22½	29½	21½
15 months, under 16.....	30½	22½	30½	21½
16 months, under 17.....	31½	23½	30½	21½
17 months, under 18.....	31½	23½	30½	22½
18 months, under 19.....	31½	24½	31½	22½
19 months, under 20.....	32½	24½	31½	23½
20 months, under 21.....	32½	25½	31½	23½
21 months, under 22.....	32½	25½	32½	24½
22 months, under 23.....	33½	25½	32½	24½
23 months, under 24.....	33½	26½	32½	24½
24 months, under 25.....	33½	26½	33½	25½
25 months, under 26.....	33½	27½	33½	25½
26 months, under 27.....	34½	27½	33½	25½
27 months, under 28.....	34½	28½	34½	26½
28 months, under 29.....	34½	28½	34½	26½
29 months, under 30.....	35½	28½	34½	27½
30 months, under 31.....	35½	28½	34½	27½
31 months, under 32.....	35½	29½	35½	27½
32 months, under 33.....	35½	29½	35½	28½
33 months, under 34.....	36½	29½	35½	28½
34 months, under 35.....	36½	30½	35½	28½
35 months, under 36.....	36½	30½	36½	29½
36 months, under 37.....	36½	30½	36½	29½
37 months, under 38.....	36½	31½	36½	29½
38 months, under 39.....	37½	31½	36½	30½
39 months, under 40.....	37½	31½	37½	30½
40 months, under 41.....	37½	32½	37½	30½
41 months, under 42.....	37½	32½	37½	31½
42 months, under 43.....	38½	32½	37½	31½
43 months, under 44.....	38½	33½	38½	31½
44 months, under 45.....	38½	33½	38½	32½
45 months, under 46.....	38½	33½	38½	32½
46 months, under 47.....	39½	34½	38½	32½
47 months, under 48.....	39½	34½	38½	32½
48 months, under 49.....	39½	34½	38½	33½
49 months, under 50.....	39½	34½	39½	33½
50 months, under 51.....	39½	35½	39½	33½
51 months, under 52.....	39½	35½	39½	34½
52 months, under 53.....	40½	35½	39½	34½
53 months, under 54.....	40½	36½	40½	35½
54 months, under 55.....	40½	36½	40½	35½
55 months, under 56.....	40½	36½	40½	35½
56 months, under 57.....	41½	37½	40½	36½
57 months, under 58.....	41½	37½	41½	36½
58 months, under 59.....	41½	37½	41½	36½
59 months, under 60.....	41½	38½	41½	36½
60 months, under 61.....	41½	38½	41½	37½
61 months, under 62.....	42½	39½	41½	37½
62 months, under 63.....	42½	39½	42½	38½
63 months, under 64.....	42½	39½	42½	38½
64 months, under 65.....	42½	39½	42½	38½
65 months, under 66.....	42½	39½	42½	39½
66 months, under 67.....	43½	40½	42½	39½
67 months, under 68.....	43½	40½	43½	40½
68 months, under 69.....	43½	40½	43½	40½
69 months, under 70.....	43½	41½	43½	40½
70 months, under 71.....	43½	41½	43½	40½
71 months, under 72.....	43½	41½	43½	40½

<sup>1</sup> These figures are based upon measurements of 167,024 white boys and girls for whom no serious defects were reported. The averages as calculated have been smoothed and corrected to allow for the inclusion in the basic figures of children with adenoids, diseased or enlarged tonsils or carious teeth, and they represent, therefore, so far as the material permits, average heights and weights of children without defects.

<sup>2</sup> Weights do not include clothing.



TABLE 2.—Average weights, by height and sex; white children.<sup>1</sup>

Height (inches). <sup>2</sup>	White boys, average weight (pounds). <sup>3</sup>	White girls, average weight (pounds). <sup>3</sup>	Height (inches). <sup>2</sup>	White boys, average weight (pounds). <sup>3</sup>	White girls, average weight (pounds). <sup>3</sup>
20.....	8½	8½	34.....	27½	26½
21.....	9½	9½	35.....	28½	27½
22.....	10½	10½	36.....	29½	28½
23.....	12	11½	37.....	31½	30½
24.....	13½	13½	38.....	32½	31½
25.....	15	14½	39.....	33½	33
26.....	16½	16½	40.....	35½	34½
27.....	18	17½	41.....	36½	36
28.....	19½	19	42.....	38½	37½
29.....	20½	20½	43.....	40½	39½
30.....	22	21½	44.....	41½	41
31.....	23½	22½	45.....	43½	42½
32.....	24½	23½	46.....	45½	45
33.....	25½	25	47.....	47½	46½

<sup>1</sup> These figures are based upon measurements of 167,024 white boys and girls; no average shown is based on less than 100 cases.

<sup>2</sup> Heights are classified to the nearest inch.

<sup>3</sup> Weights do not include clothing.

Binder  
Gaylord Bros.  
Makers  
Stockton, Calif.  
PAT. JAN. 21, 1908

YC 5773

689843

LB 3423  
A2 U5

UNIVERSITY OF CALIFORNIA LIBRARY

